

Experimental Work

- 24 Fuchs M, Lamm-Schmidt V, Lenče T, Sulzer J, Bublitz A, Wackenreuter J, Gerovac M, Strowig T, **Faber F** (2023)
A network of small RNAs regulates sporulation initiation in *C difficile*.
EMBO J doi:10.15252/embj.2022112858
- 23 Tiffany CR, Lee JY, Rogers AWL, Olsan EE, Morales P, **Faber F***, Bäumler A* (2021)
The metabolic footprint of Clostridia and Erysipelotrichia reveals their role in depleting sugar alcohols in the cecum.
Microbiome doi: 10.1186/s40168-021-01123-9
* authors contributed equally
- 22 Ponath F, Tawk C, Zhu Y, Barquist L, **Faber F**, Vogel J (2021)
RNA landscape of the emerging cancer-associated microbe *Fusobacterium nucleatum*.
Nature Microbiology doi: 10.1038/s41564-021-00927-7
- 21 Fuchs M*, Lamm-Schmidt V*, Sulzer J, Ponath F, Jenniches L, Kirk JA, Fagan RP, Barquist L, Vogel J, **Faber F** (2021)
An RNA-centric global view of the clinically important bacterium *Clostridioides difficile* reveals broad activity of Hfq in a Gram-positive species.
PNAS doi:10.1073/pnas.2103579118
* authors contributed equally
- 20 Walker GT, Yang G, Tsai JY, Rodriguez JL, English BC, **Faber F**, Souvannaseng L, Butler BP, Tsolis RM (2021)
Malaria parasite infection compromises colonization resistance to an enteric pathogen by reducing gastric acidity.
Science Advances 7:eabd6232
- 19 Lamm-Schmidt V, Fuchs M, Sulzer J, Gerovac M, Hör J, Dersch P, Vogel J, **Faber F** (2021)
Grad-seq identifies KhpB as a global RNA-binding protein in *Clostridioides difficile* that regulates toxin production.
microLife uqab004:10.1093/femsml/uqab004
- 18 Saedtler M, Förtig N, Ohlsen K, **Faber F**, Masota N, Kowalick K, Holzgrabe U, Meinel L (2020)
Anti-bacterial anacardic acid derivatives.
ACS Infectious Diseases doi: 10.1021/acsinfectdis.9b00378
- 17 Velazquez EM, Nguyen H, Heasley KT, Seachao CH, Gil LM, Rogers AWL, Miller BM, Rolston MR, Lopez CA, Litvak Y, Liou MJ, **Faber F**, Bronner DN, Tiffany CR, Byndloss MX, Byndloss AJ, Bäumler AJ (2019)
Endogenous Enterobacteriaceae underlie variation in susceptibility to Salmonella infection.
Nature Microbiology doi:10.1038/s41564-019-0407-8
- 16 An S, Ding Y, **Faber F**, Hobley L, Sá-Pessoa J (2018)
Social behaviour and making attachments: a report from the fifth 'Young Microbiologists Symposium on Microbe Signalling, Organisation and Pathogenesis'
Microbiology doi:10.1099/mic.0.000746
- 15 Litvak Y, Mon KKZ, Nguyen H, Chanthavixay G, Liou M, Velazquez EM, Kutter L, Alcantara MA, Byndloss MX, Tiffany CR, Walker GT, **Faber F**, Zhu Y, Bronner DN, Byndloss AJ, Tsolis RM, Zhou H, Bäumler AJ (2018)
Commensal Enterobacteriaceae protect against Salmonella colonization by competing for oxygen.
Cell Host & Microbe 25(1):128-139.e5
Selected for Nature Milestones in Human Microbiota Research

- 14 Bronner DN, **Faber F**, Olsan EE, Byndloss MX, Sayed NA, Xu G, Yoo W, Kim K, Ryu S, Lebrilla CB, Bäumlér AJ (2018)
Genetic ablation of butyrate utilization attenuates gastrointestinal Salmonella disease.
Cell Host & Microbe 23(2):266-273
- 13 Byndloss MX, Olsan EE, Rivera-Chávez F, Tiffany CR, Cevallos SA, Lokken KL, Torres TP, Byndloss AJ, **Faber F**, Gao Y, Litvak Y, Lopez CA, Xu G, Napoli E, Giulivi C, Tsois RM, Revzin A, Lebrilla CB, Bäumlér AJ (2017)
Microbiota-activated PPAR- γ signaling inhibits dysbiotic Enterobacteriaceae expansion.
Science 357(6351):570-575.
Covered by News&Views in Nature
Selected for Nature Milestones in Human Microbiota Research
- 12 **Faber F**, Thiennimitr P, Spiga L, Byndloss MX, Litvak Y, Lawhon S, Andrews-Polymenis HL, Winter SE, Bäumlér AJ (2017)
Respiration of microbiota-derived 1,2-propanediol drives Salmonella expansion during colitis.
PLoS Pathogens 13(1):e1006129.
- 11 Eifenbein JR, Knodler LA, Schaeffer AR, **Faber F**, Bäumlér AJ, Andrews-Polymenis HL (2017)
A Salmonella Regulator Modulates Intestinal Colonization and Use of Phosphonoacetic Acid.
Front Cell Infect Microbiol 15;7:69.
- 10 **Faber F**, Tran L, Byndloss MX, Lopez CA, Velazquez EM, Kerrinnes T, Nuccio SP, Wangdi T, Fiehn O, Tsois RM, Bäumlér AJ (2016)
Host-mediated sugar oxidation promotes post-antibiotic pathogen expansion.
Nature 534(7609):697-9
Selected for Nature Milestones in Human Microbiota Research
- 9 Rivera-Chávez F, Zhang LF, **Faber F**, Lopez CA, Byndloss MX, Olsen EE, Xu G, Velazquez EM, Lebrilla CB, Winter SE, Bäumlér AJ (2016)
Depletion of Clostridia from the gut microbiota drives an aerobic luminal expansion of Salmonella.
Cell Host & Microbe 19(4):443-54
Commentary in Cell Host & Microbe
Selected for Nature Milestones in Human Microbiota Research
- 8 Mooney JP, Lokken KL, Byndloss MX, George MD, Velazquez EM, **Faber F**, Butler BP, Walker GT, Ali MM, Potts R, Tiffany C, Ahmer BM, Luckhart S, Tsois RM (2015)
Inflammation-associated alterations to the intestinal microbiota reduce colonization resistance against non-typhoidal Salmonella during concurrent malaria parasite infection.
Scientific Reports 5(5):14603
- 7 Winter SE, Winter MG, Poon V, Keestra AM, Sterzenbach T, **Faber F**, Costa LF, Cassou F, Costa EA, Alves GE, Paixão TA, Santos RL, Bäumlér AJ (2014)
Salmonella enterica Serovar Typhi conceals the invasion-associated type three secretion system from the innate immune system by gene regulation.
PLoS Pathogens 2014 10(7):e1004207
- 6 Skiebe E, de Berardinis V, Morczinek P, Kerrinnes T, **Faber F**, Lepka D, Hammer B, Zimmermann O, Ziesing S, Wichelhaus TA, Hunfeld KP, Borgmann S, Gröbner S, Higgins PG, Seifert H, Busse HJ, Witte W, Pfeifer Y, Wilharm G (2012)
Surface-associated motility, a common trait of clinical isolates of Acinetobacter baumannii, depends on 1,3-diaminopropane.
International Journal of Medical Microbiology 302(3):117-28

- 5 Volkmann M, Skiebe E, Kerrinnes T, **Faber F**, Lepka D, Pfeifer Y, Holland G, Bannert N, Wilharm G (2010)
Orbus hercynius gen. nov., sp. nov., isolated from faeces of wild boar, is most closely related to members of the orders Enterobacteriales and Pasteurellales.
International Journal of Systematic and Evolutionary Microbiology 60(Pt 11):2601-5
- 4 Wilharm G, Lepka D, **Faber F**, Hofmann J, Kerrinnes T, Skiebe E (2010)
A simple and rapid method of bacterial transformation.
Journal of Microbiological Methods 80(2):215-6
- 3 Kerrinnes T, Zelas Z, Streckel W, **Faber F**, Tietze E, Tschäpe H, Yaron S (2009)
CsrA and CsrB are required for the post-transcriptional control of the virulence-associated effector protein AvrA of *Salmonella enterica*.
International Journal of Medical Microbiology 299(5):333-41
- 2 Forster G, Schwieger C, **Faber F**, Weber T, Blume A (2007)
Influence of poly(L-lysine) on the structure of dipalmitoylphosphatidylglycerol/water studied by X-ray scattering.
European Biophysics Journal 36(4-5):425-35
- 1 **Faber F**, Gemhardt F, Sun X, Mizutani S, Siems WE, Walther T (2006)
Lack of angiotensin II conversion to angiotensin III increases water but not alcohol consumption in aminopeptidase A-deficient mice.
Regulatory Peptides. 136(1-3):130-7

Reviews

- 3 Winter SE, **Faber F**, Bäumlner AJ
Durchfallerreger und die Homöostase der Mikrobiota
Biospektrum 2/2023
- 2 Olsen E, Byndloss MX, **Faber F**, Rivera-Chávez F, Tsohis RM, Bäumlner AJ (2017)
Colonization resistance: the deconvolution of a complex trait.
Journal of Biological Chemistry 292(21):8577-8581
- 1 **Faber F**, Bäumlner AJ (2014)
The impact of intestinal inflammation on the nutritional environment of the gut microbiota.
Immunology Letters. 162(2 Pt A):48-53